

JS-FGF-800 Kings Industrial FGF Printers

Large Format, High Speed, and Pellets Printing Material



JS-FGF-800

Overview

JS-FGF-800 uses granular and polymer composite materials for printing, which has the advantages of low material cost, fast printing speed and forming speed, high strength, and outdoor weather resistance. It is widely used for sculpture making, furniture designing, mining industry, oil & gas industry, toy industry, art crafts, mold manufacturing, plaques, landscape signs etc.

Advantage

- Automatic alarm if there is no material
- Emergency stop mode, safety guarantee
- Machine status indicator belt with progress bar
- Integral hoisting, directly used after plugging in
- 12kg closed storage box, pneumatic feeding
- Sensitive touch display screen
- Fully enclosed sheet metal cover for thermal insulation, optional high temperature version

Ideal Applications

• It is widely used for furniture designing, mining industry, oil & gas industry, toy industry, art crafts, mold manufacturing, plaques, landscape signs etc.



Technical Data

| Molding technology | Fused granular fabrication |
|---------------------------------------|--|
| Molding dimensions | (L*W*H) 800*600*800mm |
| Machine dimensions | (L*W*H) 1130*1030*1632mm |
| Optional nozzle diameter | 0.4-2mm |
| Nozzle heating method | Two-zone intelligent heating |
| Storage hopper volume | 12kg |
| Drive mode | Stepper + servo motor |
| Rated power | 3kW |
| Machine weight | 200kg |
| Working surface temperature | ≤120 degrees Celsius |
| Workbench contact surface | Aluminum Platform/Tempered Glass |
| The maximum temperature of the nozzle | ≤350 degrees Celsius (450 degrees Celsius is optional) |
| Printing connection method | SD/USB/WiFi |
| Slicing supported formats | STL/OBJ/AMF/3MF |
| Compressed air pressure | 0.6MPA |
| Materials | PLA/PETC/ABS/PC/PA/PP/HDPE/TPU/TPV/EVA/PETG+GF/PPS+GF/ PA+CF/ABS+CF/PC+CF/PEI+CF etc. |
| Material particle diameter | 1-5mm |
| Automatic feeder | Integrated |
| Chamber heating | Option |
| Power supply voltage | Single-phase AC 220V |



Shenzhen Kings 3D Printing Technology Co.,Ltd. Email: market@kings3dprinter.com | Mob/Whatsapp: +86 13342965481 Web: www.kings3dprinter.com • Floor 14, Building 3A, Yunzhi Science Park, Guangming District, Shenzhen, Guangdong, CHINA

• No.178, Dingxing Road, High-tech Zone, Zhuhai City, Guangdong Province